



检验检测报告

TESTING REPORT



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

Explanation

- 1 Being an independent and third party professional inspection institution, CNTAC Testing Center is authorized by China National Textile and Apparel Council(CNTAC) and China Textile Information Center(CTIC). CNTAC Testing Center is accredited by China National Accreditation Service for Conformity Assessment(CNAS) under accreditation certificated CNAS L5773. And also got China Metrology Accreditation (CMA), the NO. is 181311110118. The reports issued by accredited CNTAC Testing Center can be accepted by the countries and areas of APLAC/ILAC.
- 2 The quality policy of CNTAC Testing Center is scientific management, normative operation, accuracy and timely service to clients. CNTAC Testing Center promises to provide exact, timely, fair and satisfying services including test, consultation, technology training, total solution for lab etc.. It also promises to keep the sample and technical information confidential provided by the clients.
- 3 This report is invalid without signatures of the approver, or without original special stamp of the test body, or if something has been altered.
- 4 The duplicate is invalid without original special stamp of the test body, or if it is not reproduced in full.
- 5 The report is valid with commission test only for the samples in the case of delivering samples by clients.
- 6 If there is any objection concerning the report, it is required that the objection should be put forth to the center within 15 days from the reception date of the report.
- 7 The unaccredited items are for reference only.
- 8 The information of sample and client were provided by client, we were not responsible for it authenticity and integrity.

Quanzhou Clothing City Laboratory

Add.: Room 4105, Building C of South Area, Clothing City,
Shishi, Fujian Province
Postcode: 362700
Tel: 0595-83667715 / 83667725
Fax: 0595-83667718
Website: www.fcl.org.cn
E-mail: zfljqz@fabricschina.com.cn

Quanzhou International Textile City Laboratory

Add.: Room 5755, Area A of International Textile City,
Shishi, Fujian Province
Postcode: 362700
Tel: 0595-68892901 / 68892902
Fax: 0595-68892929

Xiamen Office

Add: 727 Rooms No. 68 4 Staircase Hu Li District Xiamen City
Postcode: 361100
Tel: 0592-7039718
Fax: 0592-7039718

Test Scope

Fiber & Fiber Product	Leather Product
Yarn	Footwear and Bag
Textile	Dye Product
Garments	Toys
Accessories	Nonwoven Fabrics
Down and Feather	Waste Water Monitoring

Testing Standard

GB、FZ、QB、HG、SN
ISO、BS、EN、DIN
ASTM、AATCC、CPSC
CSA/CAN
JIS
SATRA、IDFB



中国认可
国际互认
检测
TESTING
CNAS L5773



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

检验检测报告

防伪查询网址: www.fcl-sz.org.cn
防伪码: 5607644148



报告编号: ZFLJ30221431

第 1 页, 共 5 页

客户信息	委托单位 : 惠州市福岛服装有限公司 委托单位地址 : 惠州市惠城区水口青边村晟豪国际制造园 2 栋 6 楼 生产单位 : 石狮市泰富纺织贸易有限公司	
客户认定信息	样品描述 : 1 块黄色 塔丝隆梭织布 (200cm*150cm) 客供成分 : 100%锦纶	
检验类型	委托检测	样品受理/测试开始日期: 2022-04-27, 报告签发日期: 2022-04-29
检验/判定依据	- 客户自定义 - GB/T 29862-2013 《纺织品 纤维含量的标识》	
检验结论	• 样品所检并要求判定项目 符合 <GB/T 29862-2013 .>相应的技术要求。 • 样品所检并要求判定项目 符合 <客户自定义>相应的技术要求。	
检验结果及结论	见下页。	
样品呈现	见末页。	



审批:

孙浩

制单:

李云



中国认可
国际互认
检测
TESTING
CNAS L5773



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

检验检测报告

防伪查询网址: www.fcl-sz.org.cn

防伪码: 5607644148



报告编号: ZFLJ30221431

第 2 页, 共 5 页

测试项目 (计量单位) [样品标识]	测试方法 (参数说明)	技术要求 (备注)	测试结果	判定
耐水色牢度 (级)	GB/T 5713-2013	变色 ≥ 4 沾色 ≥ 4	变色 4-5 沾色 -醋纤 4-5 -棉 4-5 -锦纶 4-5 -聚酯纤维 4-5 -腈纶 4-5 -羊毛 4-5	合格
耐汗渍色牢度 (级)	GB/T 3922-2013	酸性: 变色 ≥ 4 酸性: 沾色 ≥ 4 碱性: 变色 ≥ 4 碱性: 沾色 ≥ 4	(酸性)(碱性) 变色 4-5 4-5 沾色 -醋纤 4-5 4-5 -棉 4-5 4-5 -锦纶 4-5 4-5 -聚酯纤维 4-5 4-5 -腈纶 4-5 4-5 -羊毛 4-5 4-5	合格
耐摩擦色牢度 (级)	GB/T 3920-2008	干摩擦 ≥ 4 湿摩擦 $\geq 2-3$	干摩擦 4-5 湿摩擦 4-5	合格
耐皂洗色牢度 (级)	GB/T 3921-2008 方法 A(1)	变色 ≥ 4 沾色 ≥ 4	变色 4-5 沾色 -醋纤 4-5 -棉 4-5 -锦纶 4-5 -聚酯纤维 4-5 -腈纶 4-5 -羊毛 4-5	合格
耐光色牢度 (级)	GB/T 8427-2019 方法 3 (参考 4 级蓝色羊毛标样)	≥ 4	>4	合格
起毛起球 (级)	GB/T 4802.1-2008 参数 D	$\geq 3-4$	4-5	合格
水洗尺寸变化率 (%)	GB/T 8628-2013 GB/T 8629-2017 GB/T 8630-2013 (洗涤程序 4N, 洗涤 1 次, 悬挂晾干)	经向 -2.5~ +1.5 纬向 -2.5~ +1.5	经向 -1.0 纬向 -1.1	合格
备注: (+)表示伸长, (-)表示收缩。				
pH 值	GB/T 7573-2009 (萃取介质: 0.1 mol/L 氯化钾溶液)	4~ 7.5	6.6	合格



中国认可
国际互认
检测
TESTING
CNAS L5773



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

检验检测报告

防伪查询网址: www.fcl-sz.org.cn

防伪码: 5607644148



报告编号: ZFLJ30221431

第 3 页, 共 5 页

测试项目(计量单位) [样品标识]	测试方法 (参数说明)	技术要求 (备注)	测试结果	判定
甲醛含量 (mg/kg)	GB/T 2912.1-2009	≤ 75	未检出	合格
	备注: 报告限: 20 mg/kg。			
可分解致癌芳香胺染料 (mg/kg)	GB/T 17592-2011	禁用 (≤20)	未检出	合格
	备注: 1) 报告限: 5 mg/kg; 2) 禁用芳香胺物质清单见附页。			
纤维含量 (%)	FZ/T 01057.1-2007 FZ/T 01057.2-2007 FZ/T 01057.3-2007 FZ/T 01057.4-2007	锦纶 100	锦纶 100	合格
单位面积质量 (g/m²)	GB/T 4669-2008 方法 5	--	140	--
幅宽 (m)	GB/T 4666-2009	--	1.44	--
织物中拆下纱线线密度 (tex)	GB/T 29256.5-2012 方法 A	--	经向 7.6 (68.4D) 纬向 16.8 (151.2D)	--
备注	1. 本实验室根据客户要求完成以上检测内容, 检测结果仅适用于收到的样品。 2. 复制报告未加盖本机构“检验检测专用章”无效。 3. “未检出”指小于报告限。 4. 标记“--”的测试项目表示不予判定或不具备判定条件。 5. 除非客户要求, 本报告检测结果及符合性判定不考虑测量结果的不确定度。			



中国认可
国际互认
检测
TESTING
CNAS L5773



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

检验检测报告

防伪查询网址: www.fcl-sz.org.cn

防伪码: 5607644148

报告编号: ZFLJ30221431

第 4 页, 共 5 页



附页:

No. (编号)	CAS No. (化学文摘编号)	Forbidden Arylamine (化学名称)
1	92-67-1	4-aminobiphenyl (4-氨基联苯)
2	92-87-5	benzidine (联苯胺)
3	95-69-2	4-chloro-o-toluidine (4-氯邻甲苯胺)
4	91-59-8	2-naphthylamine (2-萘胺)
5	97-56-3	o-aminoazotoluene (邻氨基偶氮甲苯)
6	99-55-8	5-nitro-o-toluidine (5-硝基-邻甲苯胺)
7	106-47-8	p-chloroaniline (对氯苯胺)
8	615-05-4	2,4-diaminoanisole (2,4-二氨基苯甲醚)
9	101-77-9	4,4'-diaminobiphenylmethane (4,4'-二氨基二苯甲烷)
10	91-94-1	3,3'-dichlorobenzidine (3,3'-二氯联苯胺)
11	119-90-4	3,3'-dimethoxybenzidine (3,3'-二甲氧基联苯胺)
12	119-93-7	3,3'-dimethylbenzidine (3,3'-二甲基联苯胺)
13	838-88-0	3,3'-dimethyl-4,4'-diaminobiphenylmethane (3,3'-二甲基-4,4'-二氨基二苯甲烷)
14	120-71-8	p-cresidine (2-甲氧基-5-甲基苯胺)
15	101-14-4	4,4'-methylene-bis- (2-chloroaniline) (4,4'-亚甲基-二- (2-氯苯胺))
16	101-80-4	4,4'-oxydianiline (4,4'-二氨基二苯醚)
17	139-65-1	4,4'-thiodianiline (4,4'-二氨基二苯硫醚)
18	95-53-4	o-toluidine (邻甲苯胺)
19	95-80-7	2,4-toluylenediamine (2,4-二氨基甲苯)
20	137-17-7	2,4,5-trimethylaniline (2,4,5-三甲基苯胺)
21	90-04-0	o-anisidine (邻氨基苯甲醚)
22	60-09-3	4-aminoazobenzene (4-氨基偶氮苯)
23	95-68-1	2,4-xylydine (2,4-二甲基苯胺)
24	87-62-7	2,6-xylydine (2,6-二甲基苯胺)



中国认可
国际互认
检测
TESTING
CNAS L5773



中国纺织工业联合会检测中心(泉州)
中纺协检验(泉州)技术服务有限公司
CNTAC Testing Services Co.,Ltd.(Quanzhou)

检 验 检 测 报 告

防伪查询网址: www.fcl-sz.org.cn
防伪码: 5607644148

报告编号: ZFLJ30221431

第 5 页, 共 5 页



送检样品原样



===== 检测报告结束 =====

检验检测专用章



说明

- 1 本检测中心为独立的第三方公正检测机构，是归中国纺织工业联合会/中国纺织信息中心所属的国家级检测机构。本检测中心已通过了中国合格评定国家认可委员会（CNAS）的认可，认可证书编号为：CNAS L5773；同时，也通过了中国认证认可监督管理委员会的计量认证（CMA），证书编号为：181311110118。本认可实验室出具的检测报告在APLAC/ILAC成员国的地区互认。
- 2 本检测中心以科学管理、规范操作、准确及时、服务客户为质量方针，为客户提供准确、及时、公正、满意的服务，包括委托检测、技术咨询、标准与检测培训、实验室建设及规划等服务，并严守客户机密保证不外漏。
- 3 检验检测报告无批准人签字或涂改无效，未加盖本检测中心“检验检测专用章”无效。
- 4 检验检测报告不得部分复制，全文复制除外，复制报告未重新加盖本检测中心“检验检测专用章”无效。
- 5 检验检测结果仅适用于收到的样品，不承担其他连带责任。
- 6 若对检验检测报告有异议，应于收到报告之日起15日内向检测单位提出。
- 7 检验检测报告中，未取得资质认定的项目，仅作为科研、教学或内部质控之用。
- 8 样品及客户信息由委托方提供，本检测中心不对其真实性及完整性负责。

泉州服装城实验室

地址：福建省石狮市服装城南C栋4105室
邮编：362700
电话：0595-83667715/83667725
传真：0595-83667718
网址：www.fcl.org.cn
电子信箱：zfljqz@fabricschina.com.cn

泉州轻纺城实验室

地址：福建省石狮市国际轻纺城A区5755
邮编：362700
电话：0595-68892901/68892902
传真：0595-68892929

厦门办事处

地址：福建省厦门市湖里区钟岭路68号4梯727室
邮编：361100
电话：0592-7039718
传真：0592-7039718

检测领域

纤维及纤维制品	皮革及毛皮制品
纱线	鞋包类
纺织品	染料及助剂
服装	玩具及儿童用品
服装附件	无纺布
羽绒羽毛	废水监测

检测标准

中国：GB、FZ、QB、HG、SN
欧洲：ISO、BS、EN、DIN
美国：ASTM、AATCC、CPSC
加拿大：CSA/CAN
日本：JIS
其他标准：SATRA、IDFB